


# Standard Recessed Mounted 4C Horizontal Mailbox Configurations

## MAXIMUM HEIGHT UNITS - STANDARD HEIGHT



**DOUBLE COLUMN WIDTH:** 31-1/8" W  
**SINGLE COLUMN WIDTH:** 17" W

**MAILBOX DOOR SIZES:**  
 MB1 - 12-3/4" W x 3-1/4" H  
 MB2 - 12-3/4" W x 6-3/4" H  
 MB3 - 12-3/4" W x 10-1/4" H  
 MB4 - 12-3/4" W x 13-3/4" H

**PARCEL LOCKER DOOR SIZES:**  
 PL3 - 12-3/4" W x 10-1/4" H  
 PL4 - 12-3/4" W x 13-3/4" H  
 PL4.5 - 12-3/4" W x 15-1/2" H  
 PL5 - 12-3/4" W x 17-1/4" H  
 PL6 - 12-3/4" W x 20-3/4" H



**OUTGOING MAIL COMPARTMENT (OM2)**  
 Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.



**OUTGOING MAIL COMPARTMENT (OM3)**  
 Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.



**OUTGOING MAIL COMPARTMENT (OM1.5)**  
 Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.




**CARRIER ACCESS (CA) DOOR**  
 Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.

Note: Recessed Mounted 4C Horizontal Mailboxes and parcel lockers have been U.S.P.S. approved and meet the specifications of USPS-STD-4C and are required for new construction and major renovations.


¹ These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.

## 11 DOOR HIGH UNITS - STANDARD HEIGHT




# Standard Recessed Mounted 4C Horizontal Mailbox Configurations

## 10 DOOR HIGH UNITS - STANDARD HEIGHT (ADA Compliant)



## 6 DOOR HIGH UNITS - STANDARD HEIGHT (ADA Compliant)



**DOUBLE COLUMN WIDTH:** 31-1/8" W  
**SINGLE COLUMN WIDTH:** 17" W

**MAILBOX DOOR SIZES:**  
 MB1 - 12-3/4" W x 3-1/4" H  
 MB2 - 12-3/4" W x 6-3/4" H  
 MB3 - 12-3/4" W x 10-1/4" H  
 MB4 - 12-3/4" W x 13-3/4" H

**PARCEL LOCKER DOOR SIZES:**  
 PL3 - 12-3/4" W x 10-1/4" H  
 PL4 - 12-3/4" W x 13-3/4" H  
 PL4.5 - 12-3/4" W x 15-1/2" H  
 PL5 - 12-3/4" W x 17-1/4" H  
 PL6 - 12-3/4" W x 20-3/4" H

### **OUTGOING MAIL COMPARTMENT (OM2)**

*Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.*

### **OUTGOING MAIL COMPARTMENT (OM3)**

*Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.*

### **OUTGOING MAIL COMPARTMENT (OM1.5)**

*Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.*

### **CARRIER ACCESS (CA) DOOR**

*Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.*

*Note: Recessed Mounted 4C Horizontal Mailboxes and parcel lockers have been U.S.P.S. approved and meet the specifications of USPS-STD-4C and are required for new construction and major renovations.*

<sup>1</sup>*These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.*

# Standard Free-Standing 4C Horizontal Mailbox Configurations

## MAXIMUM HEIGHT UNITS - STANDARD HEIGHT



DOUBLE COLUMN WIDTH: 31-3/4" W  
SINGLE COLUMN WIDTH: 17-3/4" W

**MAILBOX DOOR SIZES:**  
MB1 - 12-3/4" W x 3-1/4" H  
MB2 - 12-3/4" W x 6-3/4" H  
MB3 - 12-3/4" W x 10-1/4" H  
MB4 - 12-3/4" W x 13-3/4" H

**PARCEL LOCKER DOOR SIZES:**  
PL3 - 12-3/4" W x 10-1/4" H  
PL4 - 12-3/4" W x 13-3/4" H  
PL4.5 - 12-3/4" W x 15-1/2" H  
PL5 - 12-3/4" W x 17-1/4" H  
PL6 - 12-3/4" W x 20-3/4" H

### OUTGOING MAIL COMPARTMENT (OM2)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.

### OUTGOING MAIL COMPARTMENT (OM3)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.

### OUTGOING MAIL COMPARTMENT (OM1.5)

Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.


### CARRIER ACCESS (CA) DOOR

Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.

Note: Free-Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.


<sup>1</sup>These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.

## 11 DOOR HIGH UNITSS - STANDARD HEIGHT




# Standard Free-Standing 4C Horizontal Mailbox Configurations

## 10 DOOR HIGH UNITS - STANDARD HEIGHT (ADA Compliant)



## 6 DOOR HIGH UNITS - STANDARD HEIGHT (ADA Compliant)



**DOUBLE COLUMN WIDTH:** 31-3/4" W  
**SINGLE COLUMN WIDTH:** 17-3/4" W

### MAILBOX DOOR SIZES:

MB1 - 12-3/4" W x 3-1/4" H  
 MB2 - 12-3/4" W x 6-3/4" H  
 MB3 - 12-3/4" W x 10-1/4" H  
 MB4 - 12-3/4" W x 13-3/4" H

### PARCEL LOCKER DOOR SIZES:

PL3 - 12-3/4" W x 10-1/4" H  
 PL4 - 12-3/4" W x 13-3/4" H  
 PL4.5 - 12-3/4" W x 15-1/2" H  
 PL5 - 12-3/4" W x 17-1/4" H  
 PL6 - 12-3/4" W x 20-3/4" H

### OUTGOING MAIL COMPARTMENT (OM2)

*Note:* Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.

### OUTGOING MAIL COMPARTMENT (OM3)

*Note:* Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.

### OUTGOING MAIL COMPARTMENT (OM1.5)

*Note:* Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.

### CARRIER ACCESS (CA) DOOR


*Note:* Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.

*Note:* Free-Standing 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

<sup>1</sup>These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.

# Standard Surface Mounted 4C Horizontal Mailbox Configurations

## MAXIMUM HEIGHT UNITS - STANDARD HEIGHT



**DOUBLE COLUMN WIDTH:** 31-3/4" W  
**SINGLE COLUMN WIDTH:** 17-3/4" W

**MAILBOX DOOR SIZES:**  
 MB1 - 12-3/4" W x 3-1/4" H  
 MB2 - 12-3/4" W x 6-3/4" H  
 MB3 - 12-3/4" W x 10-1/4" H  
 MB4 - 12-3/4" W x 13-3/4" H

**PARCEL LOCKER DOOR SIZES:**  
 PL3 - 12-3/4" W x 10-1/4" H  
 PL4 - 12-3/4" W x 13-3/4" H  
 PL4.5 - 12-3/4" W x 15-1/2" H  
 PL5 - 12-3/4" W x 17-1/4" H  
 PL6 - 12-3/4" W x 20-3/4" H

### OUTGOING MAIL COMPARTMENT (OM2)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.

### OUTGOING MAIL COMPARTMENT (OM3)

Note: Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.

### OUTGOING MAIL COMPARTMENT (OM1.5)

Note: Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.


### CARRIER ACCESS (CA) DOOR

Note: Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.

Note: Surface Mounted 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.


<sup>1</sup>These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.

## 11 DOOR HIGH UNITS- STANDARD HEIGHT



# Standard Surface Mounted 4C Horizontal Mailbox Configurations

## 10 DOOR HIGH UNITS - STANDARD HEIGHT (ADA Compliant)



**DOUBLE COLUMN WIDTH:** 31-3/4" W  
**SINGLE COLUMN WIDTH:** 17-3/4" W


### MAILBOX DOOR SIZES:

MB1 - 12-3/4" W x 3-1/4" H  
 MB2 - 12-3/4" W x 6-3/4" H  
 MB3 - 12-3/4" W x 10-1/4" H  
 MB4 - 12-3/4" W x 13-3/4" H

### PARCEL LOCKER DOOR SIZES:

PL3 - 12-3/4" W x 10-1/4" H  
 PL4 - 12-3/4" W x 13-3/4" H  
 PL4.5 - 12-3/4" W x 15-1/2" H  
 PL5 - 12-3/4" W x 17-1/4" H  
 PL6 - 12-3/4" W x 20-3/4" H

## 6 DOOR HIGH UNITS - STANDARD HEIGHT (ADA Compliant)



### OUTGOING MAIL COMPARTMENT (OM2)

*Note:* Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection.

### OUTGOING MAIL COMPARTMENT (OM3)

*Note:* Units (excluding stand-alone parcel lockers) include a two (2) door high compartment for outgoing mail collection. The OM3 adds a fixed panel door directly below the OM2, but does not add extra capacity for mail collection.

### OUTGOING MAIL COMPARTMENT (OM1.5)

*Note:* Both front loading and rear loading units include a one and a half (1.5) door high compartment for outgoing mail collection.

### CARRIER ACCESS (CA) DOOR

*Note:* Carrier Access (CA) doors are only available for stand-alone parcel lockers and private use mailboxes.

*Note:* Surface Mounted 4C Horizontal Mailboxes include a U.S.P.S. approved 4C horizontal mailbox unit and a matching enclosure. For delivery of U.S. mail, contact your local postmaster for approval.

<sup>1</sup>These units do not meet U.S.P.S. installation requirements and are for private delivery only unless approved by local postal authorities.